VOLUME 136, 1997

THE New Phytologist

Founded in 1902 by Sir Arthur Tansley F.R.S.

EDITED BY

I. J. Alexander F.R.S.E.	*Aberdeen*
P. G. Ayres[1]	*Lancaster*
D. Briggs	*Cambridge*
J. G. Duckett	*London*
J. F. Farrar	*Bangor*
A. H. Fitter[2]	*York*
J. R. Gallon	*Swansea*
E. Garnier	*Montpellier*
A. M. Hetherington[4]	*Lancaster*
T. A. Mansfield F.R.S.	*Lancaster*
F. Martin	*Nancy*
R. J. Norby	*Oak Ridge*
D. Sanders	*York*
D. P. Stribley[3]	*Lancaster*
H. Thomas	*Aberystwyth*
F. I. Woodward	*Sheffield*

Chairman of *The New Phytologist Trust*

D. H. Lewis	*Sheffield*

Advisors to *The New Phytologist Trust*

Sir John Burnett	*Oxford*
J. E. Dale	*Edinburgh*
Sir David Smith F.R.S.	*Oxford*
P. J. Syrett	*Swansea*
R. G. West F.R.S.	*Cambridge*
M. M. Yeoman	*Edinburgh*

[1]Executive Editor [2]Book Review Editor [3]Managing Editor and [4]Tansley Review Editor

BOARD OF ADVISORS TO THE EDITORS

W. Armstrong *Hull, UK*
T. W. Ashenden *ITE, Bangor, UK*
A. E. Ashford *New South Wales, AUS*
C. J. Atkinson *HRI, East Malling, UK*
D. J. Beerling *Sheffield, UK*
K. Bennett *Cambridge, UK*
B. Bergman *Stockholm, S*
L. Boddy *Cardiff, UK*
B. Botton *INRA, Nancy, F*
S. J. M. Caporn *Manchester Met, UK*
A. H. Chappelka *Auburn, Al, USA*
B. Dell *Murdoch, WA, AUS*
J. Dodd *IIB, Canterbury, UK*
D. Eissenstat *Penn, SU, PA, USA*
C. Foyer *IGER, Aberystwyth, UK*
J. H. Graham *Lake Alfred, Fl, USA*
J. M. Guehl *INRA, Nancy, F*
W. Hartung *Wurzburg, D*
R. Honegger *Zurich, CH*
K. Huss-Danell *SUAS, Umeå, S*
S. T. Jackson *Laramie, Wy, USA*
D. Janos *Miami, Fl, USA*
J. W. Kadereit *JGU, Mainz, D*
G. Kerstiens *Lancaster, UK*
M. Küppers *Darmstadt, D*
K. Lindsey *Leicester, UK*
R. Lumaret *CNRS, Montpellier, F*
R. N. Mack *Pullman, Wa, USA*
R. M. Macnair *Exeter, UK*
T. Mae *Tohoku, J*
M. McCully *Ottawa, CAN*
J. Medford *Penn. SCI, Pa, USA*
P. R. Mills *HRI, Wellesbourne, UK*
R. Munns *CSIRO, Canberra, AUS*
K. Percy *CFS, Fredericton, CAN*
R. L. Peterson *Guelph, CAN*
O. Petrini *Pharmaton, Lugano, CH*
C. J. Pollock *IGER, Aberystwyth, UK*
J. A. Raven, FRS *Dundee, UK*
D. J. Read, FRS *Sheffield, UK*
D. Robinson *SCRI, Dundee, UK*
J. D. Scholes *Sheffield, UK*
R. Sen *Helsinki, Fl*
L. J. Sheppard *ITE, Bush, UK*
R. J. Simpson *CSIRO, Canberra, AUS*
S. E. Smith *WARI, Adelaide, AUS*
B. Söderström *Lund, S*
G. R. Squire *SCRI, Dundee, UK*
L. Taiz *Santa Cruz, Fl, USA*
G. Taylor *Sussex, UK*

Statistical advisor: P. W. Lane *IACR, Rothamsted, UK*

CAMBRIDGE UNIVERSITY PRESS

Cambridge University Press

The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011–4211, USA
10 Stamford Road, Oakleigh, Melbourne, 3166, Australia

© Trustees of *The New Phytologist* 1997
Printed in the United Kingdom by the University Press, Cambridge

CONTENTS

MAY 1997 VOLUME 136 NUMBER 1

Editorial. By C. J. Pollock and J. F. Farrar 1

Fructan oligomers in *Poa ampla*. By N. J. Chatterton and P. A. Harrison 3

Structural diversity of fructan in relation to the taxonomy of the Poaceae. By G. D. Bonnett, I. M. Sims, R. J. Simpson and A. J. Cairns 11

Cytosolic expression of the *Bacillus amyloliquefaciens SacB* protein inhibits tissue development in transgenic tobacco and potato. By P. G. Caimi, L. M. McCole, T. M. Klein and H. P. Hershey 19

The vacuolar sorting domain of sporamin transports GUS, but not levansucrase, to the plant vacuole. By S. C. H. J. Turk, K. De Roos, P. A. Scotti, K. Van Dun, P. Weisbeek and S. C. M. Smeekens 29

Synthesis of fructans by partially purified fructosyltransferase activities from *Lolium rigidum*. By J. A. St John, I. M. Sims, G. D. Bonnett and R. J. Simpson 39

Biosynthesis *in vitro* of high-molecular-mass fructan by cell-free extracts from tuberous roots of *Viguiera discolor* (Asteraceae). By N. M. Itaya, M. S. Buckeridge and R. C. L. Figueiredo-Ribeiro 53

Fructan biosynthesis in excised leaves of *Lolium temulentum*. VII. Sucrose and fructan hydrolysis by a fructan-polymerizing enzyme preparation. By A. J. Cairns, G. D. Bonnett, J. A. Gallagher, R. J. Simpson and C. J. Pollock 61

Fructan and fructan-metabolizing enzymes in the growth zone of barley leaves. By A. Roth, M. Lüscher, N. Sprenger, T. Boller and A. Wiemken 73

Rise of fructan exohydrolase activity in stubble of *Lolium perenne* after defoliation is decreased by uniconazole, an inhibitor of the biosynthesis of gibberellins. By A. Morvan, G. Challe, M.-P. Prud'homme, J. Le Saos and J. Boucaud 81

Purification and substrate specificity of an extracellular fructanhydrolase from *Lactobacillus paracasei* ssp. *paracasei* P 4134. By M. Müller and W. Seyfarth 89

Patterns of solute in individual mesophyll, bundle sheath and epidermal cells of barley leaves induced to accumulate carbohydrate. By O. A. Koroleva, J. F. Farrar, A. D. Tomos and C. J. Pollock 97

Frucro-oligosaccharide content and fructosyltransferase activity during growth of onion bulbs. By N. Shiomi, S. Onodera and H. Sakai 105

Fructan storage in tubers of Jerusalem artichoke: characterization of sink strength. By S. Schubert and R. Feuerle 115

Fructan metabolism in two species of *Bromus* subjected to chilling and water stress. By A. F. Puebla, G. L. Salerno and H. G. Pontis 123

Effects of short-term phosphorus deficiency on carbohydrate storage in sink and source leaves of barley (*Hordeum vulgare*). By C. Wang and J.-E. Tillberg 131

Accumulation of fructans following oxygen deficiency stress in related plant species with different flooding tolerances. By G. Albrecht, S. Biemelt and S. Baumgartner 137

Fructan to nitrogen ratio as an indicator of nutrient stress in wheat crops. By V. B. McGrath, A. B. Blakeney and G. D. Batten 145

Growth and fructan content of plants of *Vernonia herbacea* (Asteraceae) regenerated from rhizophores. By M. A. Machado De Carvalho, L. B. P. Zaidan and S. M. C. Dietrich 153

JUNE 1997 VOLUME 136 NUMBER 2

Tansley Review No. 92

Chlorophyll: a symptom and a regulator of plastid development. By H. Thomas 163

Changes in shikimate dehydrogenase and the end products of the shikimate pathway, chlorogenic acid and lignins, during the early development of seedlings of *Capsicum annuum*. By J. Díaz, A. R. Barceló and F. M. de Caceres 183

Numerical integration of phytoplankton photosynthesis through time and depth in a water column. By A. E. Walsby 189

Correlation between potassium efflux and copper sensitivity in 10 *Arabidopsis* ecotypes. By A. Murphy and L. Taiz 211

Characteristics of a caesium-resistant ($Cs^+ - R$) mutant of the N_2-fixing cyanobacterium *Nostoc muscorum*: dependence on Cs^+ or Rb^+ for normal diazotrophy and osmotolerance. By S. Singh, A. K. Singh, D. Chakravarthy, T. P. K. Singh and H. N. Singh 223

Xerophytic implications of increased sclerophylly: interactions with water and light in *Hakea psilorrhyncha* seedlings. By P. K. Groom and B. B. Lamont 231

The effects of root nitrogen supplies on the absorption of atmospheric NO_2 by soybean leaves. By Z. Qiao and F. Murray 239

Response of *Lotus corniculatus* to environmental change. I. Effects of elevated CO_2, temperature and drought on growth and plant development. By E. B. Carter, M. K. Theodorou and P. Morris 245

Ozone uptake in *Prunus serotina*, *Acer rubrum* and *Quercus rubra* forest trees of different sizes. By L. J. Samuelson and J. M. Kelly 255

Effects of ozone and drought stress on the physiology and growth of two clones of Norway spruce (*Picea abies*). By P. E. Karlsson, E. L. Medin, G. Wallin, G. Selldén and L. Skärby 265

Effects of elevated CO_2 and soil–nitrogen supply on chlorophyll fluorescence and gas exchange in Scots pine, based on a branch-in-bag experiment. By K.-Y. Wang and S. Kellomäki 277

Ultraviolet-B radiation influences the abundance and distribution of phylloplane fungi on pedunculate oak (*Quercus robur*). By K. K. Newsham, M. N. R. Low, A. R. McLeod, P. D. Greenslade and B. A. Emmett 287

Appressorium formation by AM fungi on isolated cell walls of carrot roots. By G. Nagahashi and D. D. Douds, Jr 299

ATPase activities of root microsomes from mycorrhizal sunflower (*Helianthus annuus*) and onion (*Allium cepa*) plants. By B. Bago, J. P. Donaire and C. Azcón-Aguilar 305

Inter- and intraspecific variation in the ITS region of rDNA of ectomycorrhizal fungi in Fennoscandia as detected by endonuclease analysis. By O. Kårén, N. Högberg, A. Dahlberg, L. Jonsson and J.-E. Nylund 313

Effects of soil trenching on occurrence of ectomycorrhizas on *Pseudotsuga menziesii* seedlings grown in mature forests of *Betula papyrifera* and *Pseudotsuga menziesii*. By S. W. Simard, D. A. Perry, J. E. Smith and R. Molina 327

Errata: Components of pathozone behaviour. By C. A. Gilligan and D. J. Bailey 342

Biological control of pathozone behaviour and disease dynamics of *Rhizoctonia solani* by *Trichoderma viride*. By D. J. Bailey and C. A. Gilligan 359

Reviews 369

JULY 1997 VOLUME 136 NUMBER 3

Tansley Review No. 93

Actinorhizal symbioses and their N_2 fixation. By K. Huss-Danell 375

The selective advantage of buoyancy provided by gas vesicles for planktonic cyanobacteria in the Baltic Sea. By A. E. Walsby, P. K. Hayes, R. Boje and L. J. Stal 407

The ferredoxin-encoding *fdxN* gene of the filamentous cyanobacterium *Anabaena variabilis* ATCC 29413 is not essential for nitrogen fixation. By Masepohl, K. Görlitz, U. Monnerjahn, B. Mosler and H. Böhme 419

Influence of leaf water content on the C_3–CAM transition in *Mesembryanthemum crystallinum*. By W. B. Herppich and M. Herppich 425

Eleocharis sphacelata: internal gas transport pathways and modelling of aeration by pressurized flow and diffusion. By B. K. Sorrell, H. Brix and P. T. Orr 433

Effects of the spatial arrangement of aerial stems and current-year shoots on the demography and growth of *Hydrangea hirta* in a light-limited environment. By H. Ishii and H. Takeda 443

Can an increased copper requirement in copper-tolerant *Mimulus guttatus* explain the cost of tolerance? I. Vegetative growth. By F. A. Harper, S. E. Smith and M. R. Macnair 455

Zinc, lead and cadmium tolerance, uptake and accumulation by *Typha latifolia*. By Z. H. Ye, A. J. M. Baker, M. H. Wong and A. J. Willis 469

Copper and nickel uptake, accumulation and tolerance in *Typha latifolia* with and without iron plaque on the root surface. By Z. H. Ye, A. J. M. Baker, M. H. Wong and A. J. Willis 481

Multiple tolerance and co-tolerance to heavy metals in *Silene vulgaris*: a co-segregation analysis. By H. Schat and R. Vooijs 489

Spontaneous hybridization of the putative ancestors of the allotetraploid *Poa annua*. By H. Darmency and J. Gasquez 497

Relationships between ozone resistance and climate in European populations of *Plantago major*. By T. M. Lyons, J. D. Barnes and A. W. Davison 503

Callose deposition during the interaction between cowpea (*Vigna unguiculata*) and the monokaryotic stage of the cowpea rust fungus (*Uromyces vignae*). By D. Škalamera, S. Jibodh and M. C. Heath 511

Host plant stimulates hypaphorine accumulation in *Pisolithus tinctorius* hyphae during ectomycorrhizal infection while excreted fungal hypaphorine controls root hair development. By T. Béguiristain and F. Lapeyrie 525

Use of sugars by intraradical hyphae of arbuscular mycorrhizal fungi revealed by radiorespirometry. By Md. Zakaria Solaiman and M. Saito 533

Reviews 539

AUGUST 1997 VOLUME 136 NUMBER 4

Tansley Review No. 94

Thioredoxins: structure and function in plant cells. By J.-P. Jacquot, J.-M. Lancelin and Y. Meyer 543

High densities of arbuscular mycorrhizal fungi maintained during long fallows in soils used to grow cotton except when soil is wetted periodically. By G. S. Pattinson and P. A. McGee 571

Growth, phosphorus uptake, and water relations of safflower and wheat infected with an arbuscular mycorrhizal fungus. By D. R. Bryla and J. M. Duniway 581

Water uptake by safflower and wheat roots infected with arbuscular mycorrhizal fungi. By D. R. Bryla and J. M. Duniway 591

Abscisic acid (ABA) relations in the aquatic resurrection plant *Chamaegigas intrepidus* under naturally fluctuating environmental conditions. By Petra Schiller, Hermann Heilmeier and Wolfram Hartung 603

Responses of ground vegetation to prolonged simulated acid rain in sub-arctic pine–birch forest. By A. Shevtsova and S. Neuvonen 613

Seasonal changes in root and soil respiration of ozone-exposed ponderosa pine (*Pinus ponderosa*) grown in different substrates. By C. F. Scagel and C. P. Andersen 627

Physiological changes on agricultural crops induced by different ambient ozone exposure regimes. I. Effects on photosynthesis and assimilate allocation in spring wheat. By U. Meyer, B. Köllner, J. Willenbrink and G. H. M. Krause 645

Patch formation and developmental polarity in mycelial cord systems of *Phanerochaete velutina* on a nutrient-depleted soil. By J. M. Wells, D. P. Donnelly and L. Boddy 653

Interactions between plant-growth-promoting rhizobacteria (PGPR), arbuscular mycorrhizal fungi and *Rhizobium* spp. in the rhizosphere of *Anthyllis cytisoides*, a model legume for revegetation in mediterranean semi-arid ecosystems. By N. Requena, I. Jimenez, M. Toro and J. M. Barea 667

A comparative study of leaf nutrient concentrations in a regional herbaceous flora. By K. Thompson, J. A. Parkinson, S. R. Band and R. E. Spencer 679

The biology of mycorrhiza in the Ericaceae. XIX. Fungal mycelium as a nitrogen source for the ericoid mycorrhizal fungus *Hymenoscyphus ericae* and its host plants. By Simon J. Kerley and David J. Read 691

The relation of H_2S release to SO_2 fumigation of lichens. By C. Gries, J. G. Romagni, T. H. Nash III, U. Kuhn and J. Kesselmeier 703

Natural ^{15}N abundance in fruit bodies of ectomycorrhizal fungi from boreal forests. By A. F. S. Taylor, L. Högbom, M. Högberg, A. J. E. Lyon, T. Näsholm and P. Högberg 713